

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claim 1 (currently amended): An oven (1) ~~comprises;~~ comprising an outer cabinet (2), a cooking chamber (3) located inside this outer cabinet (2) with spacing in between, one or more fan (9) moving the air inside the oven (1), one or more heater (10) that heats the air, a fan cladding (11) located at the back of the cooking chamber (3) that directs the air moved by the fan (9) and one or more bearing surface (5) carrying ~~the~~ plates (A,B,C) placed inside the ~~cooling-cooking~~ cooking chamber (3) and comprising a take-off piece (17) having one or more window (28) where inlet (7) opens in order to transfer air moved by the fan (9) and directed by the fan cladding (11) inside the duct (6) located on the side walls (4), and deflector plates (19) located on these windows (28) and characterized by wherein one or more side wall (4) comprising an inlet (7) that opens to the volume where the fan (9) is located and that lets inside the air moved by the fan (9) and, one or more duct (6) having one or more apertures (8) that provides to blowing air received from the inlet (7) at desired temperature and pressure values, towards the middle and the back of the cooking chamber (3), contacting the top and the bottom surfaces of one or more plate (A, B, C) placed over the bearing surface (5); and wherein the fan cladding (11) which comprises a surface that is placed at the back of the cooking chamber (3) and in front of the fan (9), and sides (15a and 15b) surrounding this surface and recess (14) that is formed by deep drawing the part that faces the sweeping surface of the fan (9) and a recess edge (16) with a twisted form narrowing from surface towards the base between

the surface and the base.

Claim 2 (original): An oven (1) according to claim 1, characterized by; the side wall (4) comprises the duct (6) in a form extends inside the cooking chamber (3) and is located along the horizontal axis

Claim 3 (previously amended): An oven (1) according to claim 1 or 2, characterized by; the side wall (4) comprises the duct (6) with apertures (8) having equal shapes and dimensions.

Claim 4 (previously amended): An oven (1) according to claim 1 or 2 and characterized by; the side wall (4) comprises the duct (6) with apertures (8) having different shape and dimensions.

Claim 5 (previously amended): An oven (1) according to claim 1, characterized by; the side wall (4) comprises the duct (6) with apertures (8) having different dimensions as they get further away from the inlet (7).

Claim 6 (previously amended): An oven (1) according to claim 1, characterized by; the side wall (4) comprises the duct (6) having independent inlets (7) that open towards the volume where the fan (9) located.

Claim 7 (previously amended): An oven (1) according to claim 1, characterized by; the side wall (4) comprises the duct (6) having inlets (7) connecting to each other as they are open towards the volume where the fan (9) located.

Claim 8 (cancelled):

Claim 9 (currently amended): An oven (1) according to claim 1 ~~claim-8~~, characterized by; the fan cladding (11) comprises the recess edge (16) having a cross-sectional view of an "S" shape.

Claim 10 (currently amended): An oven (1) according to claim 1 ~~claim-8~~, characterized by; the fan cladding (11) comprises a single or multiple suction apertures (12) in the middle of the recess (14), with various dimension and shapes covering the sweeping area of the fan (9), preferably with a circular cross-section and providing air suction by the fan (9) inside the cooking chamber (3).

Claim 11 (currently amended): An oven (1) according to claim 1 ~~claim-8~~, characterized by; the fan cladding (11) that opens towards the ~~cooling~~cooking chamber (3) over the surface and comprises one or more than one blowing aperture (13) located on both sides of the recess (14).

Claim 12 (currently amended): An oven (1) according to claim 1 ~~claim-8~~, characterized by; the fan cladding (11) comprises an arc which suits the structure of the recess (14) to

the sides (15b) in order to direct air towards both side walls (4) in equal proportions and one or more side (15a) which is the form of a butterfly and that have an incline increasing towards the sides (15b), connecting both sides of the arc.

Claim 13 (currently amended): An oven (1) according to claim 1 ~~claim 8~~, characterized by a fan cladding (11) that comprises side (15b) having one or more opening (18) on and that enables the inlet (7) to open towards the volume where the fan (9) is located.

Claim 14 (cancelled):

Claim 15 (currently amended): An oven (1) according to claim 1 ~~claim 13~~, characterized by the fan cladding (11) comprises the take-off piece (17) mounted in a way that it would intersect windows (28) placing on it and openings (18) on the sides (15b) of the fan cladding (11).

Claim 16 (currently amended): An oven (1) according to claim 1 ~~claim 13~~, comprises one or more heater (10) with equal or different power rates that is located in front of the openings (18) formed on the sides (15b) of the fan cladding (11) in order to transfer air having different temperature rates inside the ~~cooling~~-cooking chamber (3) when more than one plate (A, B, C) is desired to be heated at different temperature rates.

Claim 17 (currently amended): An oven (1) according to claim 1 ~~claim 14~~, comprises one or more heater (10) with equal or different power rates that is located in front of the windows (28) placing on the take-off piece (17).

Claim 18 (previously amended): An oven (1) according to claim 1, comprises heater (10) with equal or different power rates that are located inside one or more duct (6) placing on the side wall (4).